

3905 Waring Road Oceanside, CA 92056 F: (760)-724-3686

T: (760)-724-9000

Dr. Stark's Knee Arthroplasty Discharge Instructions

1. DIET: Resume normal diet gradually. We recommend you start out with liquids and soft foods and progress to your normal diet as tolerated. Avoid greasy, spicy food today.

2. PAIN CONTROL:

- a. Use prescribed pain medication as ordered. Eat prior to taking pain medication; to avoid constipation, drink plenty of liquids and take a stool softener or fiber product. You may use Tylenol or Ibuprofen for LESS severe pain.
- b. ** Take 81 mg aspirin by mouth twice a day (morning and night for 6 weeks per Dr. Stark's instructions to prevent a blood clot).

3. ACTIVITY:

- a. CPM: If a CPM machine is ordered, set at 0-45 degrees to start; advance as tolerated. Use CPM 6 hours per day (does not have to be continuous).
- Weight bearing status after surgery: FULL (you may bear all your weight on your leg) as tolerated.
- 5. TO AID HEALING AND COMFORT:
 - a. Use Cold Therapy Unit or Ice to Surgical Site 20-30 minutes per hour as needed for pain and swelling.
 - b. Use Walker for walking aid.
 - c. Elevate surgical limb above level of your heart with a couple of pillows.
- 6. HOME NURSING AND PHYSICAL THERAPY:
 - a. Your home health agency will call 1-2 days post surgery to set up a time to start services. Please call Dr. Stark's office at 760-724-9000 if you do not receive a call.

7. SURGICAL SITE CARE:

- a. Do not shower for 3 days
- b. Shower in 3 days with dressing in place. Remove and discard bandages, dry incisions, and cover incisions with band-aids.

Data/Time

c. Do not submerge wound site in bath, pool or Jacuzzi. No swimming.

FOLLOW -UP:

Docnoncible Darty

- a. With Dr. Stark in 7-10 days. Call for appt 760-724-9000
- Have a responsible adult remain with you after discharge for 24 hours.
- 10. Do not drive a motor vehicle, operate dangerous equipment, make any important legal decisions, or drink alcoholic beverages for 24 hours after anesthesia or while you are still taking prescription pain medications.

PRECAUTIONS: Call Dr. Stark (760-724-9000) promptly in case of:

- 1. Persistent Bleeding
- 2. Chills or fever over 101 degrees
- 3. Nausea or Vomiting lasting more than 24 hours
- 4. Pus draining from surgical site
- 5. Pain unrelieved by pain medication
- 6. FOR DIFFICULTY BREATHING, CALL 911.

I understand these instructions and have received a copy of them:

Responsible Party			Date/Time		
RN	Date/Time	Dr. Stark Signature		Date/Time	